


Ever**shine** Machine Tools

102, Krishana Homes, Sector - 21,
Plot No. 95, Kamothe,
Navi Mumbai 410 209
www.evershinemachines.com

Contact No +91 98 200 87815

Mail ID - sameer@evershinemachines.com



EVERSHINE
MACHINE TOOLS

HIGH PERFORMANCE
SAWING EQUIPMENT

Precision. Power. Performance.



PRECISION ENGINEERING
Built for accurate, clean
and consistent cutting.



HEAVY DUTY CONSTRUCTION
Robust structure for
long-lasting performance.



MAXIMUM PRODUCTIVITY
High efficiency, less downtime,
more output.



ADVANCED TECHNOLOGY
Smart controls for
modern manufacturing.



RELIABLE & DURABLE
Engineered for tough
industrial applications.



EASY MAINTENANCE
User-friendly design for
quick service and support.



AFTER SALES SUPPORT
Dedicated support for
complete peace of mind.

01

GENERAL MACHINE

/30

28

01~06

P1-28S
P1-28S MIDDLE DESCENDING CLAMP
P-28/65S
H-30/38S

30

07~08

33

09~14

H-33/40S MIDDLE DESCENDING CLAMP
H-33/45S
H-33/60S MIDDLE DESCENDING CLAMP

35

15~20

H-35/42S
H-35/50S
H-35/50S MIDDLE DESCENDING CLAMP

38

21~24

40

25~32

P1-38S
P3-38S

H1-40/50S
H1-40/50S MIDDLE DESCENDING CLAMP
H1-40/70S MIDDLE DESCENDING CLAMP
H-40/105S

50

33~44

H1-50/65S
H1-50/65S MIDDLE DESCENDING CLAMP
H1-50/70S
H1-50/70S MIDDLE DESCENDING CLAMP
H-50/70S
H-50/70S MIDDLE DESCENDING CLAMP

65

45~50

H-65/70S
H1-65/80S ELECTRIC FEEDING
H1-65/80S PLATE FEED

70

51~52

80

53~54

H1-70/90S

100

55~58

H1-80/100S
H1-100/100S
H-100/120S

120

59~60

H-120/140S

05

DIE STEEL

/03

70

117~120

H-7043S
H-9050S

06

UPGRADE MACHINE

/05

40

121~122

UP-40/72S MIDDLE DESCENDING CLAMP

56

123~124

UP-56/65S

65

125~130

UP-65N
UP-65/70S ELECTRIC ROLLER TABLE
UP-65/70S PLATE FEED

02

ANGLE SAW

/11

17

61~62

PX-17/31S

25

63~64

PX-25/46S

28

64~70

PX-28/34S ROTATING BAND SAW MACHINE
PX1-28/40S ROTATING BAND SAW MACHINE
PX-28/45S ROTATING BAND SAW MACHINE

33

71~76

HX-33/42S ROTATING BAND SAW MACHINE
HX-33/50S ROTATING BAND SAW MACHINE
HX-33N ROTATING BAND SAW MACHINE

35

77~78

GX1-35/50S ROTATING BAND SAW MACHINE

40

79~80

HX-40N

45

81~82

GX1-45/50S ROTATING BAND SAW MACHINE

03

NUMERICAL CONTROL

/12

11

83~84

P-11N

33

85~94

H2-33N
H2-33N MIDDLE DESCENDING CLAMP
H3-33N
H5-33N
H-33AI

35

95~98

H-35N
H1-35N

40

99~100

H1-40N

43

101~102

H-43N

50

103~104

H-50N

65

105~106

H-65N

04

EXTRUSIONS SAW

/05

35

107~108

G1-35/45S

45

109~110

G1-45/50S

50

111~114

G1-50/60S
G1-50/60S DOUBLE VISE CLAMPING



60

115~116

G-60/80S

EVERHINE



P1-285



MAXIMUM CUTTING RANGE	○280mm□250x390mm	BAND SAW BLADE SPECIFICATIONS	27x0.9x3505mm
BLADE SPEED	26/49/68m/min	MAIN MOTOR POWER	2.2kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.55kw
TABLE HEIGHT	710mm	WISE CLAMP HEIGHT	163mm
ROLLER TABLE SIZE	420x350x710mm	WEIGHT	800kg
MACHINE DIMENSIONS	1860x1200x1270mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	1860x1200x1800mm



P1-285 MIDDLE DESCENDING CLAMP





MAXIMUM CUTTING RANGE	○280mm□250x360mm	BAND SAW BLADE SPECIFICATIONS	27x0.9x3505mm
BLADE SPEED	27/46/68m/min	MAIN MOTOR POWER	2.2kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.55kw
TABLE HEIGHT	700mm	VICE CLAMP HEIGHT	170mm
ROLLER TABLE SIZE	420x350x700mm	WEIGHT	800kg
MACHINE DIMENSIONS	1860x1200x1250mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	1860x1200x1800mm



EVER

HINE

P-28/655



ROLLER TABLEx1





MAXIMUM CUTTING RANGE	○280mm□230x680mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	25/37/48/64m/min	MAIN MOTOR POWER	3.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2300x1050x2200mm	WEIGHT	810kg



EVERHINE



H-30/385




MAXIMUM CUTTING RANGE	300x380mm	BAND SAW BLADE SPECIFICATIONS	27x0.9x3505mm
BLADE SPEED	25/49/74m/min	MAIN MOTOR POWER	3kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.55kw
MACHINE DIMENSIONS	1900x1100x1600mm	WEIGHT	770kg



H-33/405 MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	330x400mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	21/36/46/68m/min	MAIN MOTOR POWER	3.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2000x1200x1600mm	WEIGHT	960kg




EVER

HINE



H-33/455




MAXIMUM CUTTING RANGE	330x450mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	21/36/46/68m/min	MAIN MOTOR POWER	3.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2000x1200x1600mm	WEIGHT	960kg





H-33/605 MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	330x600mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4470mm
BLADE SPEED	22/31/40/54m/min	MAIN MOTOR POWER	4.0kw 6P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
TABLE HEIGHT	685mm	WISE CLAMP HEIGHT	220x170mm
ROLLER TABLE SIZE	700x560x650mm	WEIGHT	1125kg
MACHINE DIMENSIONS	2550x1250x1500mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2550x1250x1850mm



H-35/425 REINFORCING STEELCUTTING BANDSAW




MAXIMUM CUTTING RANGE	350x420mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	21/36/46/68m/min	MAIN MOTOR POWER	3.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2300x1200x1650mm	WEIGHT	1030kg




EVER

HINE



H-35/50S



MAXIMUM CUTTING RANGE	350x500mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4570mm
BLADE SPEED	34/49/64/82m/min	MAIN MOTOR POWER	4kw 4级
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
DISTANCE BETWEEN FRONT AND REARJAWS	200x230mm	TABLE HEIGHT	635mm
ROLLER TABLE SIZE	610x480x615mm	WEIGHT	1027kg
MACHINE DIMENSIONS	2300x1200x1650mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2300x1200x1650mm



H-35/505 MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	350x500mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4570mm
BLADE SPEED	34/49/64/82m/min	MAIN MOTOR POWER	4kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
DISTANCE BETWEEN FRONT AND REARJAWS	220x220mm	TABLE HEIGHT	635mm
ROLLER TABLE SIZE	610x480x615mm	WEIGHT	1027kg
MACHINE DIMENSIONS	2300x1200x1650mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2300x1200x1650mm




EVER

HINE

P1-385




MAXIMUM CUTTING RANGE	○380mm□330x430mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	28/50/70m/min	MAIN MOTOR POWER	3kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2120x1200x1310mm	WEIGHT	880kg




EVERHINE

P3-285




MAXIMUM CUTTING RANGE	○280mm□240x330mm	BAND SAW BLADE SPECIFICATIONS	27x0.9x3505mm
BLADE SPEED	27/46/70m/min	MAIN MOTOR POWER	2.2kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.42kw
TABLE HEIGHT	580mm	VICE CLAMP SIZE	160x200mm
ROLLER TABLE SIZE	450x450x560mm	WEIGHT	721kg
MACHINE DIMENSIONS	1820x1000x1230mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	1820x1000x1750mm



EVERHINE


H1-40/50S




MAXIMUM CUTTING RANGE	400x500mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x4760mm
BLADE SPEED	32/46/58/79m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2560x1130x1650mm	WEIGHT	1225kg





H1-40/50S MIDDLE DESCENDING CLAMP





MAXIMUM CUTTING RANGE	400x500mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x4760mm
BLADE SPEED	24/45/70m/min	MAIN MOTOR POWER	4kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2380x1150x1680mm	WEIGHT	1350kg



H1-40/705 MIDDLE DESCENDING CLAMP





MAXIMUM CUTTING RANGE	400x700mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5100mm
BLADE SPEED	17/27/50/58/74m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2800x1100x1650mm	WEIGHT	1360kg





EVERHINE

H-40/1055




MAXIMUM CUTTING RANGE	400x1050mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6170mm
BLADE SPEED	20/36/57m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	640mm	WISE CLAMP HEIGHT	220x230mm
ROLLER TABLE SIZE	700x1100x636mm	WEIGHT	1906.5kg
MACHINE DIMENSIONS	3140x1160x1780mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	3140x1160x1900mm




EVERHINE



H1-50/65S




MAXIMUM CUTTING RANGE	500x650mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5335mm
BLADE SPEED	23/45/72m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	640mm	VICE CLAMP HEIGHT	260mm
ROLLER TABLE SIZE	790x610x630mm	WEIGHT	1900kg
MACHINE DIMENSIONS	2750x1200x2100mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2750x1200x2100mm



H1-50/655 MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	500x650mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5335mm
BLADE SPEED	23/45/72m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	660mm	WISE CLAMP HEIGHT	260mm
ROLLER TABLE SIZE	790x610x630mm	WEIGHT	1900kg
MACHINE DIMENSIONS	2800x1200x2050mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2800x1200x2050mm




EVERHINE


H1-50/70S




MAXIMUM CUTTING RANGE	500x700mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5740mm
BLADE SPEED	23/46/71m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	700mm	WISE CLAMP HEIGHT	260mm
ROLLER TABLE SIZE	808x790x690mm	WEIGHT	1880kg
MACHINE DIMENSIONS	2965x1250x1900mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2965x1250x2150mm



H1-50/70S MIDDLE DESCENDING CLAMP





MAXIMUM CUTTING RANGE	500x700mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5740mm
BLADE SPEED	23/46/71m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	680mm	WISE CLAMP HEIGHT	265mm
ROLLER TABLE SIZE	808x700x670mm	WEIGHT	1880kg
MACHINE DIMENSIONS	2970x1250x1880mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2970x1250x2050mm




EVERHINE


H-50/70S




MAXIMUM CUTTING RANGE	500x700mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5740mm
BLADE SPEED	23/44/71m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	3000x1350x1950mm	WEIGHT	1820kg



H-50/70S MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	500x700mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5740mm
BLADE SPEED	23/44/71m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	3000x1350x1950mm	WEIGHT	1820kg




EVERHINE




H-65/70S




MAXIMUM CUTTING RANGE	650x700mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6960mm
BLADE SPEED	23/37/60m/min	MAIN MOTOR POWER	7.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
WISE CLAMP SIZE	230x400mm	MINIMUM CLAMPING DISTANCE	10mm
ROLLER TABLE SIZE	1000x730x700mm	WEIGHT	2780kg
MACHINE DIMENSIONS	3300x1400x2200mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	3300x1400x2400mm



H1-65/805 ELECTRIC FEEDING






ELECTRIC ROLLER TABLEx1




MAXIMUM CUTTING RANGE	650x800mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6900mm
BLADE SPEED	10-60(INVERTER)m/min	MAIN MOTOR POWER	7.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	3180x1700x2350mm	WEIGHT	3900kg
ROLLER TABLE SIZE	2000x809x590mm	ROLLER TABLE MOTOR	3kw
MINIMUM CLAMPING DISTANCE	350mm	DISTANCE BETWEEN FRONT AND REARJAWS	355mm



H1-65/80S PLATE FEED




MAXIMUM CUTTING RANGE	650x800mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6900mm
BLADE SPEED	10-60(INVERTER)m/min	MAIN MOTOR POWER	7.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	3180x1700x2350mm	WEIGHT	3800kg
ROLLER TABLE SIROLLER TABLE SIZEZE	2000x700mm 550x700mm	SINGLE FEEDING LENGTH	1500mm
MINIMUM CLAMPING DISTANCE	350mm	DISTANCE BETWEEN FRONT AND REARJAWS	320mm




EVER

HINE

H1-70/90S







MAXIMUM CUTTING RANGE	700x900mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x7970mm
BLADE SPEED	10-63(INVERTER)m/min	MAIN MOTOR POWER	11kw 6P
COOLING MOTOR POWER	120w	HYDRAULIC MOTOR POWER	2.2kw
SINGLE FEEDING LENGTH	2000mm	MINIMUM CLAMPING DISTANCE	350mm
ROLLER TABLE SIZE	1800x920mm	WEIGHT	5505kg
MACHINE DIMENSIONS	3750x2500x2270mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	3750x2500x2580mm





EVER

HINE

H1-80/100S



MAXIMUM CUTTING RANGE	800x1000mm	BAND SAW BLADE SPECIFICATIONS	67x1.6x9100mm
BLADE SPEED	10-70(INVERTER)m/min	MAIN MOTOR POWER	11.0kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	2.2kw
MACHINE DIMENSIONS	4200x1950x2820mm	WEIGHT	7900kg
ROLLER TABLE SIROLLER TABLE SIZEZE	1960x900mm 550x900mm	SINGLE FEEDING LENGTH	1500mm
MINIMUM CLAMPING DISTANCE	450mm	DISTANCE BETWEEN FRONT AND REARJAWS	310mm






EVER

HINE

H1-100/100S




MAXIMUM CUTTING RANGE	1000x1000mm	BAND SAW BLADE SPECIFICATIONS	67x1.6x10100mm
BLADE SPEED	10-80(INVERTER)m/min	MAIN MOTOR POWER	11kw 6P
COOLING MOTOR POWER	120w	HYDRAULIC MOTOR POWER	2.2kw
MACHINE DIMENSIONS	4600x1960x2900mm	WEIGHT	9790kg
ROLLER TABLE SIROLLER TABLE SIZEZE	2700x900mm 550x900mm	SINGLE FEEDING LENGTH	1500mm
MINIMUM CLAMPING DISTANCE	450mm	DISTANCE BETWEEN FRONT AND REARJAWS	350mm




EVERHINE

H-100/120S







MAXIMUM CUTTING RANGE	1000x1200mm	BAND SAW BLADE SPECIFICATIONS	67x1.6x10200mm
BLADE SPEED	10-80(INVERTER)m/min	MAIN MOTOR POWER	11.0kw 6P
COOLING MOTOR POWER	120w	HYDRAULIC MOTOR POWER	2.2kw
MACHINE DIMENSIONS	4600x1850x3000mm	WEIGHT	8300kg
ROLLER TABLE SIROLLER TABLE SIZEZE	2030x1130mm	SINGLE FEEDING LENGTH	1300mm
MINIMUM CLAMPING DISTANCE	550mm	DISTANCE BETWEEN FRONT AND REARJAWS	175 140mm




EVER

HINE

H-120/140S





MAXIMUM CUTTING RANGE	1200x1400mm	BAND SAW BLADE SPECIFICATIONS	67x1.6x11880mm
BLADE SPEED	10-60(INVERTER)m/min	MAIN MOTOR POWER	15.0kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	3.75kw
MACHINE DIMENSIONS	5300x2300x3200mm	WEIGHT	12200kg
ROLLER TABLE SIROLLER TABLE SIZEZE	2125x1300mm 550x1300mm	SINGLE FEEDING LENGTH	1200mm
MINIMUM CLAMPING DISTANCE	800mm	DISTANCE BETWEEN FRONT AND REARJAWS	440mm



PX-17/315



MAXIMUM CUTTING RANGE (MM)		
0°	φ230	170x315
45°	φ200	210x170
60°	φ130	150x130



SAWING ANGLE	+: 0-45° -: 0-60°	BAND SAW BLADE SPECIFICATIONS	27x0.9x2825mm
BLADE SPEED	37/73m/min	MAIN MOTOR POWER	0.75/1.1kw
COOLING MOTOR POWER	0.045kw	POLE NUMBER (MAIN MOTOR)	4P/8P
HYDRAULIC MOTOR POWER	0.55kw	WISE CLAMP SIZE	190x140mm
TABLE HEIGHT	980mm	WEIGHT	424kg
MACHINE DIMENSIONS	1650x700x1400mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	1650x700x1930mm




EVER

HINE

PX-25/465



MAXIMUM CUTTING RANGE (MM)		
0°	φ330	250x450
45°	φ300	250x300
60°	φ200	250x200



SAWING ANGLE	+:0-45° -:0-60°	BAND SAW BLADE SPECIFICATIONS	27x0.9x3960mm
BLADE SPEED	45/94m/min	MAIN MOTOR POWER	1.5/2.2kw
COOLING MOTOR POWER	0.045kw	POLE NUMBER (MAIN MOTOR)	4P/8P
HYDRAULIC MOTOR POWER	0.75kw	WISE CLAMP SIZE	235x180mm
TABLE HEIGHT	850mm	WEIGHT	857.5kg
MACHINE DIMENSIONS	2200x1100x1500mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2200x1100x2100mm



PX-28/345 ROTATING BAND SAW MACHINE




1830mm





TRIANGLE RACK x1



MAXIMUM CUTTING RANGE OF ROUND MATERIAL	○280mm	BAND SAW BLADE SPECIFICATIONS	27x0.9x3505mm
MAXIMUM CUTTING RANGE OF SQUARE MATERIAL 0°	□270x340mm	MAIN MOTOR POWER	2.2kw
MAXIMUM CUTTING RANGE OF SQUARE MATERIAL 45°	□220x230mm	HYDRAULIC MOTOR POWER	0.75kw
BLADE SPEED	26/50/73m/min	MACHINE DIMENSIONS	1830x1070x1260mm
COOLING MOTOR POWER	40w	WEIGHT	800kg



PX1-28/405 ROTATING BAND SAW MACHINE





ROLLER TABLEx1



MAXIMUM CUTTING RANGE OF ROUND MATERIAL	○280mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x3860mm
MAXIMUM CUTTING RANGE OF SQUARE MATERIAL 0°	□280x440mm	MAIN MOTOR POWER	3.0kw
MAXIMUM CUTTING RANGE OF SQUARE MATERIAL 45°	□230x270mm	HYDRAULIC MOTOR POWER	0.75kw
BLADE SPEED	26/48/70m/min	MACHINE DIMENSIONS	2070x1470x1370mm
COOLING MOTOR POWER	40w	WEIGHT	1100kg




PX-28/455 ROTATING BAND SAW MACHINE



MAXIMUM CUTTING RANGE	0°:280x470mm 30°:250x370mm 45°:230x280mm 60°:210x160mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	25/45/72m/min	MAIN MOTOR POWER	3.0kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.55kw
MACHINE DIMENSIONS	2200x1460x1800mm	WEIGHT	1060kg




HX-33/425 ROTATING BAND SAW MACHINE



MAXIMUM CUTTING RANGE	0° :330×420mm 45°:330×330mm 0° :330×350mm 45°:330×330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4630mm
BLADE SPEED	33/47/58/86m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2450x1950x1650mm	WEIGHT	1650kg




HX-33/505 ROTATING BAND SAW MACHINE




MAXIMUM CUTTING RANGE	□ 0° :330×500mm └ 45° :330×330mm └ 0° :330×350mm └ 45° :330×330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4630mm
BLADE SPEED	33/47/58/86m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2450x1950x1650mm	WEIGHT	1650kg





HX-33N ROTATING BAND SAW MACHINE




MAXIMUM CUTTING RANGE	0°:330x330mm 45°:330x330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4630mm
BLADE SPEED	32/48/60/86m/min	MAIN MOTOR POWER	4.0kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2740x2440x1700mm	WEIGHT	1930kg



GX1-35/505 ROTATING BAND SAW MACHINE





MAXIMUM CUTTING RANGE 0°	350x500mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4980mm
MAXIMUM CUTTING RANGE 45°	350x390mm	MAIN MOTOR POWER	4.0kw
MAXIMUM CUTTING RANGE 60°	350x200mm	HYDRAULIC MOTOR POWER	0.75kw
BLADE SPEED	23/43/62/75m/min	MACHINE DIMENSIONS	2600x2100x1850mm
COOLING MOTOR POWER	60w	WEIGHT	2100kg




EVERHINE



HX-40S




MAXIMUM CUTTING RANGE	0°: 400×510mm 45°: 400×350mm	BAND SAW BLADE SPECIFICATIONS	34×1.1×5330mm
BLADE SPEED	33/48/60/84m/min	MAIN MOTOR POWER	4.0kw 4P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
TABLE HEIGHT	650mm	BLADE GUIDE ARM	690×125×60mm
ROLLER TABLE SIZE	700×500×610mm	WEIGHT	1635.5kg
MACHINE DIMENSIONS	2700×1750×1700mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2700×1750×2070mm



GX1-45/50S ROTATING BAND SAW MACHINE






MAXIMUM CUTTING RANGE 0°	450x500mm	BAND SAW BLADE SPECIFICATIONS	41x13x5850mm
MAXIMUM CUTTING RANGE 45°	450x480mm	MAIN MOTOR POWER	4.0kw
MAXIMUM CUTTING RANGE 60°	350x350mm	HYDRAULIC MOTOR POWER	0.75kw
BLADE SPEED	23/43/62/70m/min	MACHINE DIMENSIONS	2860x1970x2030mm
COOLING MOTOR POWER	90w	WEIGHT	2240kg




EVERHINE

P-11N






MAXIMUM CUTTING RANGE	90mm	BAND SAW BLADE SPECIFICATIONS	27x0.9x3505mm
BLADE SPEED	28/43/54/76m/min	MAIN MOTOR POWER	2.2kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
TABLE HEIGHT	640mm	WISE CLAMP HEIGHT	170mm
SINGLE FEEDING LENGTH	600mm	WEIGHT	1123kg
MACHINE DIMENSIONS	1900x2300x1200mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	1900x2300x1950mm




EVERHINE


H2-33N




MAXIMUM CUTTING RANGE	330x330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	20/40/50/75m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2150x1950x1700mm	WEIGHT	1400kg



H2-33N MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	330x330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	20/40/50/75m/min	MAIN MOTOR POWER	4kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2150x1950x1700mm	WEIGHT	1400kg





EVERHINE

H3-33N





MAXIMUM CUTTING RANGE	330x330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	26/40/61/84m/min	MAIN MOTOR POWER	4.0kw 4P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
TABLE HEIGHT	615mm	WISE CLAMP HEIGHT	180mm
ROLLER TABLE SIZE	600x470x605mm	WEIGHT	1577kg
MACHINE DIMENSIONS	2150x2230x1380mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2150x2230x1620mm





EVERHINE

H5-33N





MAXIMUM CUTTING RANGE	330x330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	31/48/60/86m/min	MAIN MOTOR POWER	4.0kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
TABLE HEIGHT	660mm	WISE CLAMP HEIGHT	180mm
ROLLER TABLE SIZE	600x525x635mm	WEIGHT	1445kg
MACHINE DIMENSIONS	2100x2200x1450mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2100x2200x1600mm




EVERHINE

H-33AI






MAXIMUM CUTTING RANGE	330x330mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4115mm
BLADE SPEED	20-80(INVERTER)m/min	MAIN MOTOR POWER	4.0kw 4P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
SINGLE FEEDING LENGTH	500mm	WISE CLAMP HEIGHT	180mm
TABLE HEIGHT	670mm	WEIGHT	1800kg
MACHINE DIMENSIONS	2300x2200x1450mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2300x2200x1700mm




EVERHINE

H-35N





MAXIMUM CUTTING RANGE	350x350mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4350mm
BLADE SPEED	30/46/65/89m/min	MAIN MOTOR POWER	4.0kw 4级
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
SINGLE FEEDING LENGTH	500mm	WISE CLAMP HEIGHT	200mm
ROLLER TABLE SIZE	600x430x640mm	WEIGHT	1700kg
MACHINE DIMENSIONS	2600x2100x1600mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2600x2100x1700mm




EVER

HINE

H1-35N





MAXIMUM CUTTING RANGE	350x350mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4260mm
BLADE SPEED	32/48/60/85m/min	MAIN MOTOR POWER	4kw 4P
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
TABLE HEIGHT	650mm	BLADE GUIDE ARM	447x112x67mm
ROLLER TABLE SIZE	700x485x630mm	WEIGHT	1539kg
MACHINE DIMENSIONS	2220x2310x1460mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2220x2310x1680mm




EVERHINE

H1-40N





MAXIMUM CUTTING RANGE	400x400mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x4750mm
BLADE SPEED	26/45/74/96/110m/min	MAIN MOTOR POWER	5.5kw 4P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
SINGLE FEEDING LENGTH	500mm	TABLE HEIGHT	670mm
ROLLER TABLE SIZE	600x540x655mm	WEIGHT	2016kg
MACHINE DIMENSIONS	2520x2260x1640mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2520x2260x1830mm



EVERHINE

H-43N




MAXIMUM CUTTING RANGE	430x430mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5150mm
BLADE SPEED	22/40/68m/min	MAIN MOTOR POWER	5.5kw 6级
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
SINGLE FEEDING LENGTH	500mm	TABLE HEIGHT	620mm
BLADE GUIDE ARM	550x150x80mm	WEIGHT	2390kg
MACHINE DIMENSIONS	2330x2700x1640mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2330x2700x1800mm





EVERHINE

H-50N




MAXIMUM CUTTING RANGE	500x500mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5540mm
BLADE SPEED	23/44/71m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	2700x2200x1900mm	WEIGHT	2850kg




EVERHINE

H-65N




MAXIMUM CUTTING RANGE	650x650mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6530mm
BLADE SPEED	18-60(INVERTER)m/min	MAIN MOTOR POWER	7.5kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	3100x3000x2400mm	WEIGHT	5250kg



EVERHINE

G1-35/455




MAXIMUM CUTTING RANGE	350x450mm	BAND SAW BLADE SPECIFICATIONS	34x1.1x4670mm
BLADE SPEED	30/44/56/74m/min	MAIN MOTOR POWER	4kw
COOLING MOTOR POWER	40w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2500x1060x1650mm	WEIGHT	1190kg



EVER

HINE

G1-45/50S





MAXIMUM CUTTING RANGE	450x500mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5340mm
BLADE SPEED	15/25/42/55/63m/min	MAIN MOTOR POWER	4kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2650x1120x1835mm	WEIGHT	1488kg



EVERHINE



G1-50/60S



MAXIMUM CUTTING RANGE	500x600mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5640mm
BLADE SPEED	23/44/71m/min	MAIN MOTOR POWER	4.0kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2930x1340x2130mm	WEIGHT	2050kg



G1-50/60S DOUBLE VISE CLAMPING





MAXIMUM CUTTING RANGE	500x600mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5640mm
BLADE SPEED	23/44/72m/min	MAIN MOTOR POWER	4kw
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	0.75kw
MACHINE DIMENSIONS	2900x1430x1950mm	WEIGHT	2370kg




EVERHINE

G-60/80S





MAXIMUM CUTTING RANGE	600x800mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x7200mm
BLADE SPEED	23/39/64m/min	MAIN MOTOR POWER	7.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	800mm	WISE CLAMP HEIGHT	600mm
ROLLER TABLE SIZE	1000x900x790mm	WEIGHT	3320kg
MACHINE DIMENSIONS	3300x1600x2500mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	3300x1600x2900mm




EVERHINE

H-7043S





MAXIMUM CUTTING RANGE	700x430mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5870mm
BLADE SPEED	20-70(INVERTER)m/min	MAIN MOTOR POWER	7.5kw 4P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
SINGLE FEEDING LENGTH	900mm	WISE CLAMP HEIGHT	235mm
TABLE HEIGHT	675mm	WEIGHT	3028kg
MACHINE DIMENSIONS	3450x1500x1970mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	3450x1500x1970mm




EVERHINE


H-9050S




MAXIMUM CUTTING RANGE	900x500mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6830mm
BLADE SPEED	20-69(INVERTER)m/min	MAIN MOTOR POWER	7.5kw
COOLING MOTOR POWER	120w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	4100x2200x2100mm	WEIGHT	6100kg



UP-40/725 MIDDLE DESCENDING CLAMP




MAXIMUM CUTTING RANGE	400x720mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x5385mm
BLADE SPEED	10-70(变频)m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
WISE CLAMP SIZE	220x220mm	TABLE HEIGHT	760mm
ROLLER TABLE SIZE	796x600x750mm	WEIGHT	1740kg
MACHINE DIMENSIONS	2900x1360x1800mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2900x1360x1950mm



EVER

HINE

UP-56/655






MAXIMUM CUTTING RANGE	560x650mm	BAND SAW BLADE SPECIFICATIONS	41x1.3x6000mm
BLADE SPEED	23/45/72m/min	MAIN MOTOR POWER	5.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
TABLE HEIGHT	690mm	WISE CLAMP HEIGHT	280mm
ROLLER TABLE SIZE	1000x820x680mm	WEIGHT	2240kg
MACHINE DIMENSIONS	2950x1550x1950mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	2950x1550x2150mm




EVERHINE



UP-65N



MAXIMUM CUTTING RANGE	650x650mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x7420mm
BLADE SPEED	0-80(INVERTER)m/min	MAIN MOTOR POWER	7.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	2.2kw
TABLE HEIGHT	730mm	BLADE GUIDE ARM	820x200x80mm
ROLLER TABLE SIZE	600x735x720mm	WEIGHT	4420kg
MACHINE DIMENSIONS	3660x2280x2350mm	MACHINE DIMENSIONS (SAW FRAME RAISED)	3660x2280x2660mm



UP-65/70S ELECTRIC FEEDING






ELECTRIC ROLLER TABLEx1



MAXIMUM CUTTING RANGE	650x700mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6900mm
BLADE SPEED	20-60(INVERTER)m/min	MAIN MOTOR POWER	7.5kw 6P
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	4100x1750x2350mm	WEIGHT	4527kg
ROLLER TABLE SIZE	2400x870x650mm	ROLLER TABLE MOTOR	3kw
MINIMUM CLAMPING DISTANCE	30mm	WISE CLAMP SIZE	320x350mm 320x350mm



UP-65/70S PLATE FEED



MAXIMUM CUTTING RANGE	650x700mm	BAND SAW BLADE SPECIFICATIONS	54x1.6x6900mm
BLADE SPEED	20-60(INVERTER)m/min	MAIN MOTOR POWER	7.5kw 6p
COOLING MOTOR POWER	90w	HYDRAULIC MOTOR POWER	1.5kw
MACHINE DIMENSIONS	4100x1750x2350mm	WEIGHT	5010kg
ROLLER TABLE SIZE	2000x650mm 540x650mm	SINGLE FEEDING LENGTH	1500mm
MINIMUM CLAMPING DISTANCE	30mm	VICE CLAMP SIZE	320x350mm 320x350mm

